

Application No. Applicant(s) 09/678,800 ITABASHI ET AL. Notice of Allowability Examiner Art Unit Tuan T Dinh -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 10/15/04. 2. The allowed claim(s) is/are 5-7,9 (renumber claims are 1-4). 3. The drawings filed on 04 October 2000 are accepted by the Examiner. 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) 🛛 All b) Some* c) None 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 7. ⊠ Examiner's Amendment/Comment 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08). Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. ☐ Other .

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. William Solomon on 01/14/05.

The application has been amended as follows:

Cancel claims 1-4, 8, and 10-11 because these claims are withdrawn from further consideration as being non-elected claims.

Allowable Subject Matter

2. Claims 5-7, and 9 are allowed (renumber claims are 1-4).

The following is an examiner's statement of reasons for allowance: the references cited disclose a machine or an apparatus having an electroless copper plating solution, an electroless copper plating bath, a filter unit, and some other claim elements. However, they do not disclose or render obvious in combination of an electroless copper plating machine having a reaction bath adding with alkaline earth

Application/Control Number: 09/678,800

Art Unit: 2841

Page 3

metal to react with alkaline earth metal salt precipitate in the plating solution, and a filter

unit for separating said metal salt precipitate.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Tuan T Dinh whose telephone number is 571-272-1929.

The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Kammie Cuneo can be reached on 571-272-1957. The fax phone number

for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Tuan Dinh

January 19, 2005.

RAND W. GIBSON

PRIMARY FXAMINED